

ACCEPTED

VIA NOTIFICATION  
LABEL NOT REVIEWED

July 9, 2012

New York State Department  
of Environmental Conservation  
Division of Materials Management  
Pesticide Product Registration

**How it works:** NUVAN PROSTRIPS utilize controlled release technology to slowly diffuse a deep penetrating vapor in enclosed spaces for up to 4 months. The clean, odorless vapor is evenly distributed throughout the enclosed treatment area, killing visible and hidden insects on contact and preventing new insect infestations (while you're away).

DOC ID 532050

  
**NUVAN<sup>®</sup>**  
**PROSTRIPS<sup>®</sup>**

**FOR USE BY PEST MANAGEMENT PROFESSIONALS**

Classified for  
“RESTRICTED USE”  
in New York State  
under 6NYCRR Part 326

**ACTIVE INGREDIENTS:**

Dichlorvos (2,2-dichlorovinyl dimethyl phosphate).....	18.6%
Related Compounds.....	1.4%

<b>INERT INGREDIENTS:</b> .....	80.0%
Total .....	100.0%

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

*See Inside Booklet for Additional Precautionary Statements, Storage and Disposal, and Directions for Use*

EPA Reg. No. 5481-553

EPA Est. No. 42836-TX-01

Net Weight:  
12 X 16 grams

  
**AMVAC**

4100 East Washington Boulevard Los Angeles, California 90023, USA  
1-888-462-6822

Made in U.S.A.

12653-4

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION:** Do not get in mouth. Harmful if swallowed. After prolonged storage, a small amount of liquid may form on strip. Do not get liquid in eyes. Wash hands thoroughly with soap and water after handling strip. Do not use in hospitals or clinic rooms, such as patient rooms, wards, nurseries, operating or emergency areas. Do not use in closets and wardrobes of rooms where infants, children and the sick or aged are or will be present for any extended period of confinement. Do not use in kitchens (except cupboards), restaurants or areas where food is prepared or served. Do not use in any area where people will be present for extended periods of time. Not to be taken internally by humans or animals.

### FIRST AID

If on skin or clothing:	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
If in eyes:	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
If swallowed:	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water, if able to swallow.</li><li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

#### FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY:

For Medical Emergencies phone: .....1-888-681-4261  
For Transportation Emergencies, including spill, leak or fire, phone: CHEMTREC .....1-800-424-9300  
For Product Use Information phone : AMVAC.....1-888-462-6822

## STOP! READ ENTIRE LABEL BEFORE USE

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Remove NUVAN PROSTRIP from sealed bag when ready to use. Place in desired location away from windows and out of reach of children and pets. Drafts, weather and other

## Garbage Cans, Trash Dumpsters and Trash Receptacles

For control of flying and crawling pests, place the appropriate number of strips within the trash receptacles such as compactors, garbage chutes, garbage rooms, garbage bins, and others. Strip provides control of pests within trash receptacles for up to four months.

## Animal Buildings

Use NUVAN PROSTRIP to control pests in animal buildings including stalls, barns, milk rooms, kennels, pens, poultry houses, manure storage and other such areas. Do not contaminate milk. Place strip in manure collection areas such as beneath egg layers and broilers but do not allow strip to be placed in areas directly occupied by poultry. Place the appropriate number of strips for the space to be treated. Strip will control pests for up to four months.

## Milk Rooms

NUVAN PROSTRIP controls flies, mosquitoes and gnats in milk rooms and bulk storage rooms. DO NOT contaminate milk or milking equipment.

## Agricultural Commodities

Use NUVAN PROSTRIP to control pests of non-perishable agricultural commodities, grains, bulk foodstuffs, packaged foods and other similar items. Do not contaminate foods. Place the appropriate number of strips for the headspace (volume) to be treated. Strip will control pests for up to four months.

## Catch Basins

Use NUVAN PROSTRIP to control mosquitoes and other pests in Catch Basins where water accumulates and mosquitoes may breed. Place the appropriate number of strips for the space to be treated. Place strip by suspending about ten inches above the water surface to control mosquitoes. Strip may control mosquitoes for up to four months.

## Enclosed Utility Boxes and Utility Chases

Use NUVAN PROSTRIP to control ants (including fire ants), spiders, wasps, hornets and other pests within electric junction boxes, plumbing control boxes, pump houses and other such utility boxes as needed. Place the proper number of strips for the space to be treated. Strip will control pests for up to four months.

## Reptile Houses and Terrariums Occupied by People for Less than 4 Hours Per Day

Use NUVAN PROSTRIP to control mites on reptiles and other pests in reptile enclosures, displays, reptile houses, and terrariums. Place strip such that the reptile and desired animals within the enclosure or terrarium will not come in direct contact with the strip. Do not over treat. Strip is NOT intended for treatment of aviaries or birdcages. Place the appropriate number of strips in a suitable place to provide control. Strip must be removed after the 48 hour treatment interval.

4

## Museum Collections Occupied by People for Less than 4 Hours Per Day

Use NUVAN PROSTRIP to protect museum collections and other similar materials from damaging pests when this is a concern. Place strip in close proximity or within collection boxes using care to avoid contact with collectable and valuable items.

## For Control of Bedbugs and Bedbug Eggs

NUVAN PROSTRIP may be used to control crawling bedbug nymphs and adults exposed to product vapors for 48 hours. In difficult to treat areas, a minimum treatment time of 72 hours will provide better results. Strip may be used to control bedbugs that have entered various items in an infested structure including, but not limited to: electronics, appliances, footwear, art work, collectibles, plush toys, clocks, radios, wall hangings, telephones, computers, printers, mattresses, box springs, books, lamps, furniture and other such items. Place infested items in a suitable plastic bag, poly sheeting, container or room that is closed to contain the strip treatment. Plastic bags or poly sheeting should be at least 2 mils thick. The closed volume for treatment should not exceed the volume to be treated for the size of the strip used. Take care to avoid direct contact of the strip with the surface of items being treated. Seal items in the containment for a minimum of 48 hours to kill bedbug nymphs and adults. To kill any bedbug eggs, if suspected to be present, seal items in the treated space for seven days. Seal plastic bags and poly sheeting with as much air space around the treated article as is practical as this will enhance the exposure to the product vapors. Proper seal can be attained by any appropriate manner such as the use of tape, twist ties or other means. Professionals should test for adequate seal by testing for the escape of air from the sealed bag. Identify sealed treatment by a label indicating a pesticide treatment is in process that should not be disturbed by unauthorized persons. The label should include the date, pest professional person or company responsible and contact telephone number. When treatment is completed, remove treated items from the treatment in a well ventilated area and aired out for a period of not less than two hours.

## How much space will one strip treat?

Strip Size	Treats	Approx. Equivalent to Area Measuring
16 grams	100 to 200 cu. ft.	8' x 8' x 3' = 192 cu. ft.

Always use the appropriate size and number of strips for the space being treated. If more than one is required, distribute them within the space equally.

## HOUSEHOLD USES

### Within Homes, Use Only in Closets, Wardrobes, and Cupboards

NUVAN PROSTRIP gives continuous protection against moths, silverfish, cockroaches and other insects as listed in closets, wardrobes and cupboards for up to four (4) months and leaves no smell (odor). Remove strip from sealed bag and hang or stand on wardrobe or closet rail, ensuring that strip does not contact clothes or fabrics and that air can circulate around the strip. Use one 16 g strip to treat 100 to 200 cu. ft. for up to four (4) months. If more than one is required, distribute them within the space equally. Keep the space closed.

Record the date of installation so that the old strip may be replaced with a new, fresh, full-strength strip at the end of the four (4) month period or when effectiveness diminishes.

Do not use more than the number of strips recommended for the space to be treated. Do not use in closets and wardrobes of rooms where infants, children and the sick or aged are or will be present for any extended period of confinement. Do not use where unwrapped food is stored or allow the strip to come into contact with food or cooking utensils. Do not allow children or pets to play or sleep in these areas when treatment is in progress.

### Attics, Garages, and Enclosed Crawl Spaces

#### DO NOT USE IN AREAS WHERE PEOPLE WILL BE PRESENT FOR AN EXTENDED PERIOD OF TIME.

NUVAN PROSTRIP kills flies and other insects as listed for up to four (4) months. Remove from sealed bag and hang or stand, out of reach of children and pets, in an open space of an enclosed area, away from windows. Calculate cubic feet of air space to determine the number of strips required for treatment. Hang strips so as not to impede air circulation. When multiple strips are required, distribute them uniformly within the treated space. Record the date of installation so that the old strip may be replaced with a new, fresh, full-strength strip at the end of the four (4) month period or when effectiveness diminishes.

#### STORAGE AND DISPOSAL

Nonrefillable container. **Storage:** Do not contaminate water, food or feed by storage or disposal. Do not open or remove from package before ready to install. Store in a cool dry place. **Disposal: If empty:** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use, subject to the inherent risks referred to herein, when it is used in accordance with such directions; and (c) that the directions, warnings, and other statements on this label are based upon responsible experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants and residues on food crops, and upon reports of field experience. Tests have not been made on all varieties of food crops and plants, or in all states or under all conditions.

THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE SET FORTH HEREIN. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE, TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF QUALITY OR PERFORMANCE. THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW MANUFACTURER OR SELLER SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

AMVAC offers this product, and Buyer accepts it, subject to the foregoing Limited Warranty which may be varied only by agreement in writing signed by an authorized representative of AMVAC.

**Proposition 65: Warning: This product contains a chemical known to the State of California to cause cancer.**

AMVAC Chemical Corporation  
4100 E. Washington Boulevard  
Los Angeles, CA 90023 USA.  
1-888-462-6822

## NOTES



# NUVAN<sup>®</sup>

## PROSTRIPS<sup>®</sup>

FOR USE BY PEST MANAGEMENT PROFESSIONALS

**ACTIVE INGREDIENTS:**

Dichlorvos (2,2-dichlorovinyl dimethyl phosphate)..... 18.6%  
Related Compounds ..... 1.4%

**INERT INGREDIENTS:**

Total..... 100.0%

## KEEP OUT OF REACH OF CHILDREN CAUTION

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

**CAUTION:** Do not get in mouth. Harmful if swallowed. After prolonged storage, a small amount of liquid may form on strip. Do not get liquid in eyes. Wash hands thoroughly with soap and water after handling strip. Do not use in hospitals or clinic rooms, such as patient rooms, wards, nurseries, operating or emergency areas. Do not use in closets and wardrobes of rooms where infants, children and the sick or aged are or will be present for any extended period of confinement. Do not use in kitchens (except cupboards), restaurants or areas where food is prepared or served. Do not use in any area where people will be present for extended periods of time. Not to be taken internally by humans or animals.

#### FIRST AID

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**If swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water, if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

Have product container or label with you when calling a Poison Control Center or doctor or going for treatment.

For the following emergencies, phone 24 hours a day:

For Medical Emergencies phone ..... 1-888-681-4261  
For Transportation Emergencies, including spill, leak or fire, phone: CHEMTREC ..... 1-800-424-9300  
For Product Use Information phone : AMVAC ..... 1-888-462-6822

*See Inside Booklet for Additional Precautionary Statements, Storage and Disposal, and Directions for Use*

EPA Reg. No. 5481-553

Net Weight: 12 X 16 grams

EPA Est. No. 42836-TX-01



4100 East Washington Boulevard Los Angeles, California 90023, USA

1-888-462-6822

Made in U.S.A.

12653-4