# **ACCEPTED** FOR REGISTRATION

11/2/11

New York State Department of Environmental Conservation Division of Materials Management Pesticide Product Registration

Doc. ID: 528958

Classified for "RESTRICTED USE" in New York State under 6NYCRR Part 326

12455-16 Printed at 100% size on this 11" x 8.5" sheet

# RESTRICTED-USE PESTICIDE

Due to acute oral, acute dermal and primary dermal irritation toxicity. For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certificate.



### KILLS HOUSE MICE

ACTIVE INGREDIENT: Zinc Phosphide (CAS #1314-84-7):

# KEEP OUT OF REACH OF CHILDREN DANGER - POISON - PELIGRO



See back panel for First Aid and additional precautionary statements.

# **NET WEIGHT: 1.1 lbs** (500 g)

EPA REG. NO.: 12455-16

EPA EST. NO.: 12455-WI-1

Manufactured By:

3699 Kinsman Blvd. Madison, WI 53704 U.S.A. www.belllabs.com

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-854-2494 for emergency medical treatment information. If you experience signs and symptoms such as nausea, abdominal pain, tightness in chest, or weakness, see a physician immediately. For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

#### IF SWALLOWED:

- . Call a poison control center or doctor immediately for treatment advice or transport the patient to
- . Do not drink water
- . Do not administer anything by mouth or induce vomiting unless told to do so by the poison control center or doctor
- IF ON SKIN OR CLOTHING:
- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 20 minutes.
- Call a poison control center or doctor for treatment advice.

#### IF INHALED:

- · Move person to fresh air.
- · If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably
- · Call a poison control center or doctor for further treatment advice

#### TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once

#### NOTE TO PHYSICIAN OR VETERINARIAN

Contains the phosphine-producing active, Zinc Phosphide. Probable mucosal damage may contraindicate the use of gastric lavage. For animals ingesting bait and/or showing poisoning signs, induce vomiting by using hydrogen peroxide. Sodium bicarbonate can be given orally to neutralize the stomach acidity. The stomach and intestinal tract can be evacuated, oxygen administered and cardiac and circulatory stimulants given

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ THIS LABEL: Read this entire label and follow all use directions, restrictions and precautions.

- . Do not apply this product in a way that will contact workers or other persons, either directly or through
- . Only protected handlers may be in the area during application.
- Keep all other persons out of the treated area during application.

- . Do not apply by any method, to any pest, or to any site not specified on this label.
- This product may only be used for the control of house mice (Mus musculus) inside homes, industria and agricultural buildings, and similar man-made structures. The only exception is that the product may also be dusted from the outside of the building into structural voids.
- . Apply only in locations inaccessible to children, pets, or domestic animals.
- . Do not place bait near or inside ventilation duct openings.
- . If using this product in agricultural buildings where livestock feeds are stored, or in commercial food service, food manufacturing or food processing establishments, limit treatments to concealed, inaccessible places such as spaces between floors and walls. Do not apply tracking powder along walls, in corners, or in open floor area of rooms in which food or feed is handled or stored. Do not apply ZP TRACKING POWDER in areas where there is a possibility of contaminating water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come in direct contact with food

#### APPLICATION DIRECTIONS:

SELECTION OF TREATMENT AREAS: Determine dry, acid-free areas where house mice will most likely pick up ZP TRACKING POWDER on their feet or fur and ingest it during grooming. Generally, these areas are along walls, by gnawed openings, in corners and concealed places, in spaces between floors and walls, or in locations where house mice or their signs have been observed. Remove goods piled directly on floor and place on skids. Use boxes or other obstacles to force house mice to travel through constricted areas. When using this product in homes, only treat in concealed, inaccessible places such as spaces between floors and walls.

Evenly sprinkle 3 to 6 grams by lightly agitating spoon (one to two level teaspoonful amounts) of ZP TRACKING POWDER in approximately 3 by 24 inch patches. Using a hand-powered duster, dust into wall voids and spaces between floors. While wearing waterproof gloves, where accessible, collect and dispose of all dead animals. Maintain ZP Tracking Powder in treated areas for seven days or until fresh signs of mouse activity cease to appear. Clean up any powder that is accessible and dispose of in accordance with disposal directions

### PRECAUTIONARY STATEMENTS

# HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Fatal if swallowed, Fatal if absorbed through the skin, Causes skin burns, Harmful if inhaled, Do not get in eyes, on skin or on clothing. Avoid breathing dust. Any person who retrieves carcasses or unused bait following use of this product must wear waterproof gloves.

# Personal Protective Equipment (PPE)

All handlers, including loaders and applicators must wear:

- . Coveralls, long-sleeved shirt and long pants.
- . Chemical resistant shoes plus socks.
- Waterproof gloves
- . When mixing and loading, wear a chemical resistant apron.
- . When cleaning equipment, wear a chemical resistant apron.

#### **User Safety Requirements**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Wash the outside of gloves before removing. Remove PPE immediately after handling this product.

#### User Safety Recommendations

- . Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### ENVIRONMENTAL HAZARDS

This product is extremely toxic to birds, fish and other wildlife. Dogs, cats and other animals might be poisoned if they feed upon animals that have eaten this bait. Do not contaminate water when disposing of equipment wash water or rinsate

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

Pesticide Disposal: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility

Container Handling: Nonrefillable container. Do not reuse or refill this container. [Plastic]: Offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill.

DISCLAIMER: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

072811/05-11

